

T2 - Clearview Cabin - Left Hand Drive

3.450 mm / 136" Wheelbase Powertrain

Volvo TAD572VE Tier 4f/EU Stage 4 160 kW + Allison 3000RDS incl. Maximizer

Engine Block Heater, 230V

Idle Shutdown

Sisu SSND 22,000 lbs. (10,000 Kg) with 410 x 80 brakes and Automatic Slack Adjusters

Front shock absorbers

Sisu SRDP with 16.41 ratio 32.000 KG @ 25 km\h

Rear axle differential lock

Hydrostatic power steering (orbitrol)

Michelin XDA 315/60 R 22.5

Spare wheel (tyre + rim) Load carrying devices

Port pkg 431mm lift height & 32T lifting capacity

Holland FW 3510-TR-EG 36000KG King pin 2" EC approved

King pin 2" EC approved Cab

Premium upholstery

Digital display (EU); km/h; °Celsius, Bar

Air suspended seat BeGe 9130 with 2-point seat belt

Arm rests to seat on both sides

Seat heating

Trainer seat / extra seat

Stereo radio + MP3/USB player (24V) with DAB+

Inside mirror, rear view

Outside mirrors, electrically heated and adjusted

Roof Window, Fixed, Tinted

Wiper with washer on rear window

Socket for electric cabin heater

Electrically operated driver's window

Manual Air Conditioner

Tilt/telescopic steering column

Clipboard w/light mounted to dash panel

Std. Cabin colour RAL3000 (Kalmar red)

Dual brake pedals on both sides of steering column

Operating lever for lift boom on right hand side armrest

Reversing camera mounted on cabin roof with display inside cabin

Rear mudguards made of 10 mm thick steel, including full width rear bumper (CH-680)

Splash shields in platforms

Yellow safety striping on chassis

Tow pin - front (diameter 2" / 50 mm)

Tow pin - Rear (diameter 1.5" / 38 mm)

Trailer stops for cab protection

Tank Guards - Full Ingress Protection (MANDATORY IN EU)

Std. Chassis colour RAL7021 (Kalmar black) Hydraulics and Pneumatics

Additional airtank capacity: extra cap = 29.3 L; total cap = 118.3 L

Duomatic connection on cabin rear wall

Duomatic connection on rear bumper

Detachable spiral hoses, Duomatic / Glad Hands

Knorr-Bremse air dryer

Air Horn Electric system

Transformer, step-down (24V to 12V)

12 V, 12 A DC supply, cable to cabin engine side/front corner

12V power socket for mobile phone charger

Electric windshield wiper with intermittent control

LED Headlights (low and high beam)

Extra working lights LED on cabin roof (2 pcs), forward, on both front corners of cabin roof

Extra working light LED on cabin roof, rearward, on engine side rear corner of cabin roof

Extra working light LED on cabin roof, rearward, on driverside rear corner of cabin roof

Strobe light - Amber LED - driver oper. switch (flashing beacon)

5th Wheel Jawlock Indicator Lamp (Red lamp activated when open)

Central greasing , Automatic Lincoln

Cover for lubrication pump and eberspacher diesel heater (front right mudguards)